



GALLANT 52" LED 3000K INDOOR/COVERED OUTDOOR HUGGER CEILING FAN

FHP-GLT52B3-BN

The Gallant collection of pull-chain-controlled hugger ceiling fans from Designers Fountain is damp-rated for use indoors or in covered outdoor areas. These transitional fans feature 3-speed AC motors that produce a max airflow of 3,141 CFMs. Each of the 5 blades are reversible, with silver on one side and pearl gray on the other. The 3 included LED bulbs produce 550 lumens of 3000K light each, and will save you money. Gallant is recommended for rooms of 400 square feet or less, and should be hardwired to an in-ceiling power source of 120V. Installation is a breeze with the included instructions and mounting/wiring hardware right in the box.

- Transitional brushed nickel fan for indoor or covered outdoor use
- Three-speed fan with AC motor creates a max airflow of 3,141 CFM
- Includes 3 LED bulbs that produce 550 lumens of soft 3000K light
- Pull-chains control fan speed and light activation
- Reversible plywood blades are silver on one side and pearl gray on the other
- Recommended for a room of 400 sq. ft. or less
- Does not accommodate a sloped ceiling
- Damp rated for indoor and covered outdoor installation
- Hardwire to a 120-Volt in-ceiling power source
- Mounting and wiring hardware provided in the box
- Easy-to-follow installation instructions included
- Limited warranties for the following durations: 10 years for the fan, 10,000 hours for the LED bulbs, and 1 year for all

other fan components

STYLE

**Gallant 52" LED 3000K Indoor/Covered Outdoor
Hugger Ceiling Fan**

FINISH

Brushed Nickel

DIMENSIONS

Fixture Height (in)	13.7"
Canopy Width (in)	9.8"
Canopy Depth (in)	9.8"
Canopy Height (in)	6.7"
Net Weight (lb)	17 lbs

LAMPING

Light Source	LED Bulb
Bulbs Required	3
Socket Base	Medium
Bulbs Included	Yes
Wattage	18
Voltage	120
Dimming	No
Led Cri	90+
Led Life Hours	10,000
Lumens	1,650
Efficacy	91.6
Cct	3000K

ACCESSORIES

No Accessories Included

SHADE

Shade Material	Glass
-----------------------	-------

OTHER

Dampness Rating	Damp
Warranty	Limited 10-year
Electrical Certification	cETLus